

Charging Port Protection GPN 387 Type C



www.poeppelmann.com/en/gpn387c

NEW



www.blauer-engel.de/uz30a



Application

The GPN 387 Form C HV protector is suitable for use in components for large electric motors that require robust, high-performance connections. The handy grip tab ensures quick disassembly, while the circumferential lamellae enable an optimum clamping fit.

Quick removal thanks to handy grip tab

Can be used universally for plugs with 1, 2 and 3 poles

This new series of standards is currently under development and will be available soon. The information provided is therefore provisional and subject to change. Our team will be happy to answer any questions you may have.



Article	A	C	H	M
GPN 387 HV 1000	33,5	29,5	16	37,6
GPN 387 HV 1400	38,5	34,6	16	37,6

Dimensions in mm.

Information on materials, colours, designs and use of our products can be found on the website and in chapter 3 'Materials and application'.

The article consists of 98 % PCR-PE and 2 % colour based on a PIR carrier. The plastic used consists of 100 % PCR.

For these articles, colour deviations and black dots cannot be completely avoided in production and are permissible. We recommend carrying out functional tests before series production.

Article	Contact connections	Manufacturer	Plug type	Number of poles	Rows
GPN 387 HV 1000	HVP	TE Connectivity	HVP 1000	1	1
GPN 387 HV 1400	HVP	TE Connectivity	HVP 1400	1	1

Article	Contact terminal	Manufacturer	Plug type	Number of poles	rows
GPN 387 HV 1000	HVP	TE Connectivity	HVP 1000	1	1
GPN 387 HV 1400	HVP	TE Connectivity	HVP 1400	1	1

Our product advantages at a glance:



More resource-saving.



Better fit.



Saves time.

The plastic used consists of 100 % recycled material. For the protection of high-voltage connector systems. With ergonomically designed removal tab for easy handling.